

FOIPA PTO-1390 (REV. 12-2001)		U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER	
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371				U.S. APPLICATION NO. (If none, see 37 C.F.R. 1.5) 10/069343	
INTERNATIONAL APPLICATION NO. PCT/JP00/05642		INTERNATIONAL FILING DATE 23 August 2000 (23.08.00)		PRIORITY DATE CLAIMED 24 August 1999 (24.08.99)	
TITLE OF INVENTION Methods of Pasteurizing/Sterilizing Immune Substance Containing Antiinflammatory Factor and Utilization Thereof					
APPLICANT(S) FOR DO/EO/US ORTHO CORPORATION CO., LTD. and NOMOTO, Kikuo					
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:					
<ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 3. <input type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (21) indicated below. 4. <input type="checkbox"/> The US has been elected by the expiration of 19 months from the priority date (Article 31). 5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2)) <ol style="list-style-type: none"> a. <input checked="" type="checkbox"/> is attached hereto (required only if not communicated by the International Bureau). b. <input checked="" type="checkbox"/> has been communicated by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US). 6. <input type="checkbox"/> An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)). <ol style="list-style-type: none"> a. <input type="checkbox"/> is attached hereto. b. <input type="checkbox"/> has been previously submitted under 35 U.S.C. 154(d)(4). 7. <input type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) <ol style="list-style-type: none"> a. <input type="checkbox"/> are attached hereto (required only if not communicated by the International Bureau). b. <input type="checkbox"/> have been communicated by the International Bureau. c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. d. <input type="checkbox"/> have not been made and will not be made. 8. <input type="checkbox"/> An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). 9. <input type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. <input type="checkbox"/> An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). 					
Items 11 to 20 below concern document(s) or information included:					
<ol style="list-style-type: none"> 11. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 13. <input checked="" type="checkbox"/> A FIRST preliminary amendment. 14. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment. 15. <input type="checkbox"/> A substitute specification. 16. <input type="checkbox"/> A change of power of attorney and/or address letter. 17. <input type="checkbox"/> A computer-readable form of the sequence listing in accordance with PCT Rule 13ter.2 and 35 U.S.C. 1.821 - 1.825. 18. <input type="checkbox"/> A second copy of the published international application under 35 U.S.C. 154(d)(4). 19. <input type="checkbox"/> A second copy of the English language translation of the international application under 35 U.S.C. 154(d)(4). 20. <input type="checkbox"/> Other items or information: 					

U.S. APPLICATION NO. (if any) 37 CFR 1.55 10/069343		INTERNATIONAL APPLICATION NO. PCT/JP00/05642		ATTORNEY'S DOCKET NUMBER 2443	
---	--	---	--	----------------------------------	--

21. <input type="checkbox"/> The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)): Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$1040.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$890.00 International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$740.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(I)-(4) \$710.00 International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(I)-(4) \$100.00 ENTER APPROPRIATE BASIC FEE AMOUNT :				CALCULATIONS PTO USE ONLY	
				\$ 890.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(c)).				\$	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	\$	
Total claims	6 -20 -	0	x \$18.00	\$	
Independent claims	2 -3 -	0	x \$84.00	\$	
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$280.00	\$	
TOTAL OF ABOVE CALCULATIONS				- \$ 890.00	
<input checked="" type="checkbox"/> Applicant claims small entity status. See 37 CFR 1.27. The fees indicated above are reduced by 1/2.				+ \$ 445.00	
SUBTOTAL				- \$ 445.00	
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(f)).				\$	
TOTAL NATIONAL FEE				= \$	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property+				\$	
TOTAL FEES ENCLOSED				= \$ 445.00	
				Amount to be refunded:	\$
				charged:	\$

a. ☐ A check in the amount of \$ _____ to cover the above fees is enclosed.

b. ☐ Please charge my Deposit Account No. _____ in the amount of \$ _____ to cover the above fees.
 A duplicate copy of this sheet is enclosed.

c. ☒ The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any
 overpayment to Deposit Account No. 501241 A duplicate copy of this sheet is enclosed.

d. ☒ Fees are to be charged to a credit card. **WARNING:** Information on this form may become public. **Credit card
 information should not be included on this form.** Provide credit card information and authorization on PTO-2038.

**NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR
 1.137 (a) or (b)) must be filed and granted to restore the application to pending status.**

SEND ALL CORRESPONDENCE TO:

Customer No. 7617

CHARLES E. BRUZGA
 The Law Office of Charles E. Bruzga
 11 Broadway, Suite 400
 New York, NY 10004

 SIGNATURE
 Charles E. Bruzga

 NAME
 28,935

 REGISTRATION NUMBER

Rec'd PCT/PTO 08 JUL 2002 1006 9343 100202 #

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Naoyuki Kamata

Serial No. 10/069,343

Patent No.:

Filed: Rec'd PCT/PTO 22-Feb-2002

For: Methods of Pasteurizing/Sterilizing
Immune Substance Containing
Antiinflammatory Factor and
Utilization Thereof

Attorney Docket No. 2443

Group Art Unit:

Examiner:

Allowed on:

Batch No.:

Assistant Commissioner for Patents
Washington, D.C. 20231

SECOND PRELIMINARY AMENDMENT & CHANGE OF CUSTOMER NUMBER

Please replace claims 1-6 with the following set of claims 1-12.

- 1. (Amended) A method for sterilizing an immune substance containing anti-inflammatory factors, comprising heating a solution of said immune substance containing antiinflammatory factors at a temperature of from 55 to 70° C for 30 to 60 minutes.
2. A method for sterilizing an immune substance containing anti-inflammatory factors, comprising filtering the solution of said immune substance containing antiinflammatory factors by a filter with pore size of from 0.1 to 0.22 microns.
3. (Once amended) A substance containing said immune substance containing antiinflammatory factors, sterilized and/or pasteurized by the method according to Claim 1.
4. (Once amended) Ice cream, yogurt, liquid drinks, jam, butter, cheese, cream, sherbet, mayonnaise, dressing, or other foods or drinks with added thereto the immune substance containing antiinflammatory factors sterilized and/or pasteurized by the method according to Claim 1.

5. A substance containing said immune substance containing antiinflammatory factors, sterilized and/or pasteurized by the method according to Claim 2.
6. Ice cream, yogurt, liquid drinks, jam, butter, cheese, cream, sherbet, mayonnaise, dressing, or other foods or drinks with added thereto the immune substance containing antiinflammatory factors sterilized and/or pasteurized by the method of Claim 2.
7. A method for sterilizing an immune substance containing anti-inflammatory factors, consisting essentially of heating a solution of said immune substance containing antiinflammatory factors at a temperature of from 55 to 70° C for 30 to 60 minutes.
8. A substance containing said immune substance containing antiinflammatory factors, sterilized and/or pasteurized by the method according to Claim 7.
9. Ice cream, yogurt, liquid drinks, jam, butter, cheese, cream, sherbet, mayonnaise, dressing, or other foods or drinks with added thereto the immune substance containing antiinflammatory factors sterilized and/or pasteurized by the method according to Claim 7.
10. A method for sterilizing an immune substance containing anti-inflammatory factors, consisting essentially of filtering the solution of said immune substance containing antiinflammatory factors by a filter with pore size of from 0.1 to 0.22 microns.
11. A substance containing said immune substance containing antiinflammatory factors, sterilized and/or pasteurized by the method according to Claim 10.
12. Ice cream, yogurt, liquid drinks, jam, butter, cheese, cream, sherbet, mayonnaise, dressing, or other foods or drinks with added thereto the immune substance containing antiinflammatory factors sterilized and/or pasteurized by the method of Claim 10.--

REMARKS

Claims

The present amendment adds two independent claims, so that the total number of independent claims is increased from 2 to 4. A credit card payment form authorizes payment of \$42.00 for presenting 1 independent claim more than 3.


In particular, claims 1 and 3 have been amended to change "characterized by" to "comprising," which is more commonly used in U.S. practice. Claim 7 is similar to claim 1, but uses "consisting essentially of" rather than "comprising." Claim 10 is similar to claim 2, but replaces "comprising" with "consisting essentially of." Thus claims 7 and 10 would exclude processes involving exposure to temperature sufficient to drastically reduce the activity of the immunopotentiating factors, such as discussed with respect to Example 2 in the specification (pages 15-16). New claims 7-8 and 11-12 are similar to original claims 2 and 3, respectively.

Customer Number

Please change customer no. 7617 to 07617.

Dated: July 1, 2002

Respectfully submitted,



Charles E. Bruzga
Attorney for Applicant
Customer No. 07617

MARKED-UP FULL SET OF CLAIMS TO SHOW CHANGES MADE

--1. (Amended) A method for sterilizing an immune substance containing anti-inflammatory factors, ~~characterized by~~ comprising heating a solution of said immune substance containing antiinflammatory factors at a temperature of from 55 to 70° C for 30 to 60 minutes.

2. A method for sterilizing an immune substance containing anti-inflammatory factors, ~~characterized by~~ comprising filtering the solution of said immune substance containing antiinflammatory factors by a filter with pore size of from 0.1 to 0.22 microns.

3. (Once amended) A substance containing said immune substance containing antiinflammatory factors, sterilized and/or pasteurized by the method according to Claim 1.

4. (Once amended) Ice cream, yogurt, liquid drinks, jam, butter, cheese, cream, sherbet, mayonnaise, dressing, or other foods or drinks with added thereto the immune substance containing antiinflammatory factors sterilized and/or pasteurized by the method according to Claim 1.

5. A substance containing said immune substance containing antiinflammatory factors, sterilized and/or pasteurized by the method according to Claim 2.

6. Ice cream, yogurt, liquid drinks, jam, butter, cheese, cream, sherbet, mayonnaise, dressing, or other foods or drinks with added thereto the immune substance containing antiinflammatory factors sterilized and/or pasteurized by the method of Claim 2.

7. A method for sterilizing an immune substance containing anti-inflammatory factors, consisting essentially of heating a solution of said immune substance containing antiinflammatory factors at a temperature of from 55 to 70° C for 30 to 60 minutes.

8. A substance containing said immune substance containing antiinflammatory factors, sterilized and/or pasteurized by the method according to Claim 7.

9. Ice cream, yogurt, liquid drinks, jam, butter, cheese, cream, sherbet, mayonnaise, dressing, or other foods or drinks with added thereto the immune substance containing antiinflammatory factors sterilized and/or pasteurized by the method according to Claim 7.

10. A method for sterilizing an immune substance containing anti-inflammatory factors, consisting essentially of filtering the solution of said immune substance containing antiinflammatory factors by a filter with pore size of from 0.1 to 0.22 microns.

11. A substance containing said immune substance containing antiinflammatory factors, sterilized and/or pasteurized by the method according to Claim 10.

12. Ice cream, yogurt, liquid drinks, jam, butter, cheese, cream, sherbet, mayonnaise, dressing, or other foods or drinks with added thereto the immune substance containing antiinflammatory factors sterilized and/or pasteurized by the method of Claim 10.--

107069343

JC19 Rec'd PCT/PTO 22 FEB 2002

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Naoyuki Kamata

Serial No. Based on PCT/JP00/05642 *filed*

23-Aug-2000

Patent No.:

Filed:

For: Methods of Pasteurizing/Sterilizing
Immune Substance Containing
Antiinflammatory Factor and
Utilization Thereof

Attorney Docket No. 2443

Group Art Unit:

Examiner:

Allowed on:

Batch No.:

Assistant Commissioner for Patents
Washington, D.C. 20231

PRELIMINARY AMENDMENT

Please replace claims 1-4 with the following set of claims 1-6:

- 1. A method for sterilizing an immune substance containing anti-inflammatory factors, characterized by heating a solution of said immune substance containing antiinflammatory factors at a temperature of from 55 to 70° C for 30 to 60 minutes.
2. A method for sterilizing an immune substance containing anti-inflammatory factors, characterized by filtering the solution of said immune substance containing antiinflammatory factors by a filter with pore size of from 0.1 to 0.22 microns.
3. (Once amended) A substance containing said immune substance containing antiinflammatory factors, sterilized and/or pasteurized by the method according to Claim 1.
4. (Once amended) Ice cream, yogurt, liquid drinks, jam, butter, cheese, cream, sherbet, mayonnaise, dressing, or other foods or drinks with added thereto the immune substance containing antiinflammatory factors sterilized and/or pasteurized by the method according to Claim 1.

5. A substance containing said immune substance containing antiinflammatory factors, sterilized and/or pasteurized by the method according to Claim 2.

6. Ice cream, yogurt, liquid drinks, jam, butter, cheese, cream, sherbet, mayonnaise, dressing, or other foods or drinks with added thereto the immune substance containing antiinflammatory factors sterilized and/or pasteurized by the method of Claim 2.—


REMARKS

The present amendment eliminates multiple-dependent claims from the application. Accordingly, the application now contains six total claims, two of which are in dependent form.

I hereby certify that on February 22, 2002, this document, a PTO form 1390, a credit card payment form and the Japanese-language PCT application are being deposited with the US Postal Service as Express Mail Post Office to Addressee No. EV051313935US to Assistant Commissioner for Patents, Box PCT, Washington, D.C. 20231.

Dated: February 22, 2002

Respectfully submitted,



Charles E. Bruzga
Attorney for Applicant
Customer No. 7617

MARKED-UP FULL SET OF CLAIMS TO SHOW CHANGES MADE

1. A method for sterilizing an immune substance containing anti-inflammatory factors, characterized by heating a solution of said immune substance containing antiinflammatory factors at a temperature of from 55 to 70° C for 30 to 60 minutes.
2. A method for sterilizing an immune substance containing anti-inflammatory factors, characterized by filtering the solution of said immune substance containing antiinflammatory factors by a filter with pore size of from 0.1 to 0.22 microns.
3. (Once amended) A substance containing said immune substance containing antiinflammatory factors, sterilized and/or pasteurized by the method according to ~~either~~ Claim 1 ~~or~~ 2.
4. (Once amended) Ice cream, yogurt, liquid drinks, jam, butter, cheese, cream, sherbet, mayonnaise, dressing, or other foods or drinks with added thereto the immune substance containing antiinflammatory factors sterilized and/or pasteurized by the method according to ~~either~~ Claim 1 ~~or~~ 2.
5. A substance containing said immune substance containing antiinflammatory factors, sterilized and/or pasteurized by the method according to Claim 2.
6. Ice cream, yogurt, liquid drinks, jam, butter, cheese, cream, sherbet, mayonnaise, dressing, or other foods or drinks with added thereto the immune substance containing antiinflammatory factors sterilized and/or pasteurized by the method of Claim 2.

10069343 10069343
Rec'd PCT/PTO 08 JUL 2002
1

10/069343

SPECIFICATION

METHOD OF PASTEURIZING/STERILIZING IMMUNE SUBSTANCE CONTAINING
5 ANTIINFLAMMATORY FACTOR AND UTILIZATION THEREOF

TECHNICAL FIELD

10 The present invention relates to the pasteurization and/or sterilization of an immune substance containing antiinflammatory factors, and in particular to a method for pasteurizing and/or sterilizing an immune substance containing antiinflammatory factors, where the substance is susceptible to heat, without damaging their effects, and to the use of the immune substance containing antiinflammatory factors that have been pasteurized and sterilized by
15 these methods.

BACKGROUND ART

20 The term inflammation is "a localized protective response elicited by injury or destruction of tissues, which serves to destroy, dilute or wall off both the injurious agent and the injured tissue," and is accompanied by signs of "pain, fever, flare, edema, and loss of function," etc. (Dorland's Medical Dictionary). The antiinflammatory agent is generally used for the nosotropic to the inflammation. Known antiinflammatory agents include

antihistamines, both steroidal and non-steroidal antiinflammatory agents, antiinflammatory enzymes, and immunosuppressants.

5 A major problem caused by the antiinflammatory agents, however, is their side-effects or adverse reactions. In case of salicylates, for example, which are very commonly used as antiinflammatory medicine, especially well-known aspirin, but a heavy dosage may cause central respiratory paralysis and circulatory collapse, presenting a cause of epigastralgia, nausea, vomiting, or gastrointestinal bleeding.

10 In view of the above, it is highly desirable to develop antiinflammatory agents without causing any side-effects or adverse reaction. An antiinflammatory composition derived from cow milk has been proposed as a candidate antiinflammatory agent with no side-effect or adverse reaction (Japanese Laid-open Patent Applications (Tokukai) Sho57-188523 and Sho59-61316), and also the isolation and use of antiinflammatory factors
15 as an antiinflammatory medicine have been proposed. (Published Japanese Translation of PCT International Publication for Patent Application (Tokuhyo) Hei2-503802, Hei8-502515, Hei8-502718, and Hei10-509420).

20 The present invention is directed to providing a technology where an immune substance containing antiinflammatory factors derived from the aforementioned cow milk is used as so-called health food. As used hereinbelow, an immune substance containing antiinflammatory factors means an immune substance comprising a mixture of milk protein fraction and low molecular-weight fraction having a molecular-weight of 10,000 or less, wherein both fractions are isolated from whey which can be obtained upon the removal of fat

and casein from milk of female mammal, which mammal being hyperimmunized by the adjuvant-vaccine made from attenuated or killed germs, attenuated or inactivated viruses, or toxoids. The milk protein fraction and the low molecular-weight fraction with the molecular-weight of 10,000 or less can be isolated from whey by means of, for example, chromatographic separation, separation by gel filtration or ultrafiltration. The methods disclosed in Published Japanese Translation of PCT International Publication for Patent Application (Tokuhyo) Hei2-503802, Hei8-502515, Hei8-502718, and Hei10-509420) can be also applied thereto.

10 The immune substance containing antiinflammatory factors has some effect on improving the enteric conditions, immunopotential and antiinflammation effects on animals and human beings. The substances may be administered orally or through anus in the form of solution, powder, granules or addition to food products. Some specific effects include, for example, the amelioration of enteric conditions and constipations, the prophylaxis and care of carcinoma in colon, opportunistic infection, neoplastic transformation, relaxation of immunodeficiency disorders, prevention and care of periodontal disorders including gingivitis, ulcerative disorders, relaxation of rheumatic symptoms, as well as prevention and care of asthma.

20 The immune substance containing antiinflammatory factors is a useful substance beneficial for showing effects on the antiinflammation and immunization without any adverse effects. Those antiinflammatory effects can be verified, for example, by the air-pouch method. The principle of the air pouch method is as follows. The procedure of the method is to administer orally an antiinflammatory substance to mice, then forming a

hypodermic air-pouch (air cavity) under the skin of the mice and infusing carrageenan (an irritant), then finally counting the migrating white blood cells. Because the inflammation is associated with the leucocytes migrating and infiltrating to the infected area, the more leucocytes are counted, the more severe is the inflammation. On the contrary, the stronger
5 the antiinflammatory action is, the fewer leucocytes are found to migrate and infiltrate.

On the other hand, the immune substance containing antiinflammatory factors are particularly susceptible to heat, that is, their effectiveness will be lost when exposed to elevated temperatures. On the other hand, heating methods are employed for pasteurization
10 and/or sterilization of most foods. Thus, the characteristic of the immune substance containing antiinflammatory factors where its activeness is lost by heat is a major impediment when it is used as a health food. In this aspect, a method for pasteurization and/or sterilization that would not impede the effect of immune substance containing antiinflammatory factors would have a significant meaning when they are used as so-called
15 health foods.

Therefore an object of the present invention is to overcome the above drawback of the immune substance containing antiinflammatory factors and thereby to provide methods for pasteurizing and/or sterilizing the substances without impeding their effectiveness.
20 Another object of the present invention is to use as health foods the immune substance containing antiinflammatory factors thus pasteurized and/or sterilized.

DISCLOSURE OF THE INVENTION

The invention in accordance with Claim 1 discloses a method for pasteurizing and/or sterilizing immune substance containing antiinflammatory factors, characterized by heating a solution of the immune substance containing antiinflammatory factors to 55 to 70°C for 30 to 60 minutes. The invention in accordance with Claim 2 discloses a method for pasteurizing and/or sterilizing immune substance containing antiinflammatory factors, characterized by filtering the solution of the immune substance containing antiinflammatory factors by a filter with pore size of 0.1 to 0.22 microns. The invention in accordance with Claim 3 discloses substances including the immune substance containing antiinflammatory factors which has been pasteurized and/or sterilized by the method according to Claim 1 or 2. The invention in accordance with Claim 4 discloses ice cream, yogurt, liquid drinks, jam, butter, cheese, cream, frozen fruit, mayonnaise, dressing, and other food products or drinks, to which there has been added the immune substance containing antiinflammatory factors pasteurized and/or sterilized by the method according to Claim 1 or 2.

Since the immune substance containing antiinflammatory factors are relatively new substances, many aspects as to their properties and usage have not been well explained. The conditions best suited for the pasteurization and sterilization of the immune substance containing antiinflammatory factors are not yet determined. The present invention has been made so as to be the first to elucidate those conditions of the pasteurization and sterilization of the immune substance containing antiinflammatory factors.

The method described in Japanese Laid-open Patent Application (Tokukai)

Hei4-66050, involves heating at 62°C for 30 minutes and at 75°C for 15 seconds, as an example of a method for pasteurizing the milk containing immunoglobulins. This method is related only to the milk containing immunoglobulins and not to the immune substance containing antiinflammatory factors of the present invention. As can be seen, the
5 pasteurization and/or sterilization of the immune substance containing antiinflammatory factors is basically different from the pasteurization of milk containing immunoglobulin.

Specifically, the immune substance containing antiinflammatory factors is a mixture of the milk protein fraction and the low molecular-weight fraction with a molecular-weight
10 of 10,000 or less, both of which may be isolated from whey obtained upon the removal of milk fat and casein. The substance does not contain milk fat, lactose, casein, and the like which are normally contained in the milk. The susceptibility to the heat of the immune substance containing antiinflammatory that contain neither milk fat, lactose, casein, or the like is remarkable in comparison with the one having those components. It is not necessary
15 to be pointed out that other methods of pasteurization and/or sterilization are required for the substances that do contain lactose, casein, and the like, different from those that do not.

The present invention may not provide the immune substance containing antiinflammatory factors for use in medicines, but rather, the present invention seeks to find
20 their application to foods and thereby utilizing the so-called health foods. One major feature of the present invention may allow the immune substance containing antiinflammatory factors to be pasteurized and/or sterilized for use in the health foods, without significantly damaging their effectiveness.

10

15

20

process needs to be carried out at a temperature of at least 55°C or over. The process should be conducted within the temperature range of from 55 to 70°C so as to effectively pasteurize and/or sterilize the immune substance containing antiinflammatory factors.

5 The aqueous solution of the immune substance containing antiinflammatory factors thus pasteurized and sterilized may be used as such, or in the form of either powder or concentrate after being freeze-dried or dried at a low temperature to be added ice cream, yogurt, liquid drinks, jam, butter, cheese, cream, sherbet, mayonnaise, dressing, and other foods or drinks. The solution or powder of the immune substance containing
10 antiinflammatory factors may be added by a suitable amount to the raw material of each foregoing item, and thereby to finish the food production process in a commonly known manner for each food and drink item. Depending on the material used, the solid content of the immune substance containing the antiinflammatory factor is about 1 to 20 % by weight, but may not be limited thereto. The addition of an amount of the immune substance of the
15 order as described above may show favorable antiinflammatory and immunopotential effects. Because each of the aforementioned materials does not involve any process where it is subjected to high temperatures, in particular, the pasteurized and/or sterilized aqueous solution can be effectively used.

20 Alternatively, the aqueous solution of the immune substance containing antiinflammatory factors can be also pasteurized and sterilized by filtration using a filter with pore size of 0.1 to 0.22 microns. Since bacterial germs do not pass through a filter having pores in the size above, pasteurization and sterilization may be obtained by treating with the filter. The filter used in this instance may be made of a membrane and the like comprised of

cellulose mixed thereto. As for the filtration process, an aqueous solution of the immune substance containing antiinflammatory factors at a concentration of 20% or less may be filtered out under pressure at a temperature at which the substance may not be changed, for example, 40°C or below.

5

The aqueous solution of the immune substance containing antiinflammatory factors pasteurized and sterilized by the filtration may be used in ice cream, yogurt, liquid drinks, jam, butter, cheese, cream, sherbet, mayonnaise, and dressing or other foods or drinks in the manner similar to the case of the aqueous solutions of the immune substance containing
10 antiinflammatory factors pasteurized and sterilized by heat, as described above.

In both methods of pasteurizing and sterilizing the immune substance containing antiinflammatory factors by heat or filter, the process is applied to aqueous solutions. Although the source material must be in the form of solution while processing, it may not
15 necessarily be an aqueous solution. Any solvent other than water, such as an aqueous solution of ethyl alcohols or ethyl alcohol may be used instead, to the extent that the activity of the immune substance containing antiinflammatory factors is not compromised.

The solution of the immune substance containing antiinflammatory factors
20 pasteurized and/or sterilized by heat or filter may be directly added as such to food and drink products, or may be added in a form of concentrate or powder after being freeze-dried or drying at a low temperature, as have been described previously.

Some exemplary uses of the immune substance containing antiinflammatory factors

thus pasteurized and/or sterilized will be illustrated in detail with reference to the following embodiments. The case of ice cream will be first described. The immune substance containing antiinflammatory factors sterilized by filtration may be added to starting materials such as milk, cream, eggs, and flavoring, by the amount of about 10 % by weight. The materials were thoroughly mixed in a homogenizer, and the resulting mixture was pasteurized by heating at 68°C for 30 minutes. The pasteurized mixture was cooled to 2 to 5°C and then overrun at -15°C to entrain air thereby to obtain an ice cream. The ice cream thus obtained is a health food having the antiinflammatory and immunopotentiating effects. The immune substance containing antiinflammatory factors which have been sterilized by filtering or heating process may also be added after the new material mixture of the ice cream is subjected to the pasteurization process.

Mayonnaise can be obtained by mixing and emulsifying pasteurized egg yolk, fragrances and flavoring, salad oil, and the immune substance containing antiinflammatory factors (15 % by weight) which has been sterilized by heating at 68°C for 30 minutes. This mayonnaise may be provided as a health food. There is no need to say that the immune substance containing antiinflammatory factors, which have been sterilized by filtration, may be equally used.

The immune substance containing antiinflammatory factors (12 % by weight) which has been pasteurized or sterilized by heating at 68°C for 30 minutes, or by filtering with a filter with pore size of 0.22 microns, emulsifier, flavoring, etc. were mixed to finely ground cocoa beans, then the mixture was tempered at 65°C and molded into a predetermined shape, to make a chocolate. Such chocolate may similarly be provided as a

health food.

A mixture of strawberries and the immune substance containing antiinflammatory factors (12 % by weight) which had been sterilized by filtering with a filter having pore size of 0.22 microns, was heated to 68°C. The mixture was concentrated at the same temperature in vacuo, then pectin was added followed by sterilization by heating at 68°C for 30 minutes. Alternatively, the immune substance containing antiinflammatory factors (12 % by weight) may be added to the strawberries at the same time as pectin is added. Strawberry jam containing the immune substance containing antiinflammatory factors (12 % by weight) was thus obtained. It is needless to say that a variety of fruits can be used in lieu of strawberries.

A liquid type drink potion was added to the immune substance containing antiinflammatory factors (18 % by weight), and then filtered by a filter having pore size of 0.22 microns, to obtain a potion containing the immune substance containing antiinflammatory factors. The drink potion may alternatively be subjected to a heat process at 68°C for 30 minutes after the immune substance containing antiinflammatory factors is added thereto.

A case where it is applied to yogurt will be described below. Yogurt may be classified into plain yogurt, hard yogurt, soft yogurt, yogurt drinks, frozen yogurt, and so forth. Since the plain yogurt is the basic one, the case of a plain yogurt is described herebelow.

The immune substance containing antiinflammatory factors was pasteurized by heating at 65°C for 30 minutes, then cooled to a temperature of from 45 to 48°C. Meanwhile, milk was prepared with additives added thereto as needed, and then heated, mixed, and homogenized, followed by the milk mixture being sterilized at a temperature of 90 to 95°C. The milk after the sterilization process was then cooled to a temperature of between 45 and 48°C, and the immune substance containing antiinflammatory factors also cooled to from 45 to 48°C was added to and mixed with the milk, and then the starter was added thereto and mixed. The mixture was put into a fermentation container thereby to promote the fermentation. It was cooled to the room temperature to obtain the product.

When an aqueous solution of stabilizer and flavoring are added to the milk during the process, it may change into a hard yogurt. In case of hard yogurt, by grinding the curd after fermentation and cooling to a temperature of between 5 and 20°C, and then followed by a fruit sauce being added and mixed to obtain the product, a soft yogurt is obtained as the end product.

The effects of the methods of pasteurization and/or sterilization of the immune substance containing antiinflammatory factors in accordance with the present invention will be further described in the following examples.

Example 1

Mice were orally administered with an antiinflammatory substance, followed by a subcutaneous air pouch (air cavity) being formed, and then by carrageenan (irritant) being injected, and whereby the leucocytes migrating to the local region was counted. Four

samples selected for this examination were as follows:

(1) Commercially available milk: skim milk by Morinaga Milk Industries, Co. Ltd., was dissolved in purified water at a concentration of 60 % by weight.

5

(2) S-100 milk: powdered skim milk prepared from cow milk immunized (vaccinated) to 26 kinds of killed germs of pathogenic micro organisms was dissolved in purified water at a concentration of 60 % by weight.

10

(3) WPI+ solution: an 8:2 mixture of the protein fraction of whey isolated from S-100 milk and the low molecular-weight antiinflammatory fraction of whey, called MUF, similarly isolated by the ultrafiltration of S-100 milk, was dissolved in purified water at a concentration of 0.16 % by weight.

15

(4) MDF solution: antiinflammatory fraction isolated from S-100 milk by the ion exchanger column was dissolved in purified water at a concentration of 0.1 % by weight.

The protocol used were as follows:

20

(1) mice at 9-weeks (strain C3H) were used.

(2) starting at 3 weeks before the test day, each mouse was given orally a daily dosage of 0.5 milliliter of either one of: control solution (saline), commercially available milk solution (i.e., 300 mg dosage for each), S-100 milk solution (i.e., 300 mg dosage for each),

(9) After supernatant of samples was discarded until a total amount of 1 milliliter of the liquid with cells suspended therein was obtained, and the cell suspensions were thoroughly mixed.

(11) The number of WBC contained in each sample was counted using a Turk's leucocyte plate (hemocytometer) (mean of the counts of 4 sectors will be multiplied by 10^4). Table 1 gives the measurements each indicating the number of cells infiltrated into the air pouch.

Example 2

20 2 grams of the immune substance containing antiinflammatory factors were dissolved in water to make a total volume of 20 milliliters. The solution was further diluted with SMUF (buffer solution at pH 6.6) to make 0.02% solution. 1 milliliter portions of the solution were respectively dispensed to centrifuge tubes to incubate in the following conditions: at 75°C for 30 minutes, at 70°C for 30 minutes, at 65°C for 30 minutes, at 55°C

for 30 minutes, and no heating. After the process, each sample was centrifuged at 10,000 G for 10 minutes. 0.5 milliliter supernatant was separated from each tube. Respective samples supernatant of 250-microliter each were respectively mixed with the same amounts of SMUF to yield test specimens of 0.01%. The optical density of each test specimen was measured by a microplate reader, and the residual activity of the antiinflammatory factor was determined by comparing with a separately prepared calibration curve. The results are shown in Table 2. The residual activities are represented as relative values (%), where the activity level at the room temperature is scaled to 100 (%).

As can be seen from Table 2, it is prominent that the residual activity of the immunopotentiating factors falls rapidly beyond 70°C, indicating that the process temperature of 70°C is a critical point. The residual activity of the immunopotentiating factors was held at least 80% or higher for the process temperatures up to 68°C, while the activity is nearly halved at 70°C, and virtually disappeared at 75°C.

Example 3

The effect of pasteurization and sterilization was examined in this example. 2 grams of immune substance containing antiinflammatory factors were taken to be dissolved in water to make a total volume of 20 milliliters. One colony of *Escherichia coli* cultured in a separate medium was added thereto and suspended in the solution. Part of the test solution was taken, and heated at 55, 60, and 65°C each for 30 minutes. The remainder of the solution was cooled to freezing temperature. 0.1 milliliter of the heated test solution and 0.1 milliliter of test solution at freezing temperature were each diluted with sterilized PBS to

make 10 milliliters of inoculating samples.

Nutrient agar and MacConkey's agar were each mixed with purified water, heated, and autoclaved for sterilization. Both agars were dispensed to sterile plastic plates and left
5 to coagulation thereby to prepare flat culture beds each. Instruments were sterilized then set up in a clean bench for inoculating under an aseptic environment. 100 microliters samples were each dispensed on respective agars prepared as described above, and were uniformly applied thereto with glass rods. The plates were placed in an incubator maintained at 37°C and they were incubated for 24 hours. After 24 hours of incubation, the numbers of
10 developed colonies were counted. The results are shown in Table 3.

There were 93 colonies grown in the general nutrient agar medium in case of the unheated sample, whereas no growth found in case of the sample heated to 65°C or higher. There were 4 colonies in case of the sample heated to 60°C, and 3 in case of the samples
15 heated to 55°C. These results indicate that heating to 55°C or above may achieve the pasteurization, and heating to 65°C or above may achieve the sterilization, i.e., no colony may be present.

The results of Examples 2 and 3 show that the temperature range where both the
20 preservation of the activity of antiinflammatory and the pasteurization and/or sterilization can be obtained lies in the range of from 55 to 70°C. The temperature range from 55 to 70°C may be thus the best suited condition for pasteurization and sterilization without deactivating antiinflammatory factor.

Example 4

Example 4 shows the sterilization and/or pasteurization by a filter. The filter used was FM-22 (the diameter is 47 mm, and the pore size is 0.22 microns) available from Fuji Photo Film Co. Ltd., and the filter unit was that supplied from Shibata Kikai Kagaku Kogyo K.K. 2 grams of the immune substance containing antiinflammatory factors was taken to be dissolved in water to make a total volume of 20 milliliters. The solution was centrifuged at 10,000 G for 10 minutes, and the supernatant thereof was collected. The sample solution was subjected to a filtration process by the sterilized filtration unit having the filter installed therein. The filtrate was diluted with sterilized PBS (phosphate-buffered saline) to prepare test solutions of 0.8% and 1.2%.

RID (radial immunodiffusion) kit commercially available from The Binding Site Inc. was used to determine the activity of antiinflammatory factor, where the sheep albumin PBS solution included in the kit was used for the control. Samples were dispensed to wells to be incubated at the room temperature for 72 hours. The diameter of precipitation circles was measured using a caliper. The data was used to obtain the equation for the calibration curve, then the equation was used in the data processing to calculate the activity of antiinflammatory factors in the samples each. The results are shown in Table 4.

20

For the assayed activity of the antiinflammatory factors, Table 4 gives the detected concentrations, the activity levels, and the residual activities where raw sample was rated to 100%, and the mean of residual activities. Each sample showed almost the same value regardless of whether being subjected to a filtering process or not. It should be understood

that the values of the heated samples exceeded by about 1%, the variance is within the tolerance of reproducibility guaranteed by the kit itself and is not to be considered as a problem. It was found that the activity of the filtered antiinflammatory factors is not changed by the filtration process.

5

Example 5

A similar procedure to Example 3 above was used to determine the viable count. 2 grams of the immune substance containing antiinflammatory factors was taken to be dissolved in water to make a total volume of 20 milliliters. One colony of separately
10 cultured E. coli was added and suspended in the solution. 10 milliliters of this solution was subjected to a filtration process by using a sterilized filtration unit having a filter installed therein. 0.1 milliliter of the filtered sample solution and 0.1 milliliter of untreated sample solution were each diluted with sterile PBS respectively to prepare 10 milliliters of
15 specimens.

Instruments were sterilized and set up in a clean bench for inoculation under an aseptic environment. 100 microliters of each sample were dispensed to respective agar plates prepared separately, and were uniformly applied with glass rods. The plates were
20 placed in an incubator and incubated at 37°C for 24 hours. After 24 hours of incubation, the number of developed colonies was counted. The results of colony count are shown in Table 5.

There were 708 colonies in the unfiltered sample on the general nutrient agar, and

no growth of colony was observed in the filtered samples. There were 394 colonies in the unfiltered sample on the MacConkey's agar, and no growth of colony was observed in the filtered sample. Two types of medium, namely nutrient agar for nonselective culture and MacConkey's agar for Escherichia specific culture, were used for inoculation. Growth of E. coli was found on both agars with unfiltered samples inoculated, however no colony growth was found with filtered samples on either medium. It should thus be recognized that pasteurization and/or sterilization was achieved by the filtration process.

In view of the foregoing, it should be understood that the filtration of the solutions of the immune substance containing antiinflammatory factors makes it possible for the substance to be sterilized, pasteurized, and disinfected without impairing the properties of the immune substance containing antiinflammatory factors.

15 INDUSTRIAL APPLICABILITY

The solution of the immune substance containing antiinflammatory factors may be sterilized, disinfected, and/or pasteurized by heating the solution in the temperature range of from 55 to 70°C or by filtering with a filter having pore size of 0.1 to 0.22 microns without deteriorating their effects. The immune substance containing antiinflammatory factors which have been thus pasteurized and sterilized may be added to a wide range of foods and drinks, and thereby providing useful products as health foods.

Table 1

Number of cells infiltrated into the air pouch ($\times 10000$ count)

5

Sample	1	2	3	4	5	6	7	8	9	Average	Standard Deviation	Significant Difference
Control	287	355	303	280	338	361	375	313	351	329.2	29.75	—
Commercially available milk	262	350	333	310	296	329	301	312	203	299.6	30.59	None
S-100 milk 300mg	48	55	62	81	68	88	60	76	59	66.3	10.59	P<0.005
WPI+ solution 300mg	32	31	26	27	21	30	41	48	31	31.9	5.63	P<0.005
WPI+ solution 20mg	133	109	100	90	128	113	89	121	154	115.2	16.69	P<0.005
WPI+ solution 10mg	226	248	291	299	268	271	265	254	278	266.7	16.37	P<0.005
WPI+ solution 5mg	312	256	263	321	291	301	284	300	268	288.4	18.40	P<0.05
MDF solution 5mg	16	21	43	18	22	15	30	32	25	24.7	6.96	P<0.005

Table 2

5

Effect of process temperature on residual activity immunopotentiating factors

Process Temperature (°C)	Optical Density	Activity Level (ng/ml)	Average (ng/ml)	Rate of Residual Activities (%)
7 5	0. 076 0. 064	0. 22 0	0. 11	0. 3
7 0	0. 269 0. 271	49. 7 50. 21	49. 95	59. 3
6 8	0. 350 0. 345	70. 46 69. 18	69. 82	82. 9
6 5	0. 366 0. 367	74. 56 74. 82	74. 69	88. 7
5 5	0. 403 0. 386	84. 02 79. 69	81. 86	97. 3
Room Temperature	0. 399 0. 408	83. 02 85. 33	84. 17	100. 0

Table 3

5 Effect of process temperature on E. coli colonies

Sample	Number of Colonies
Unheated	9 3
Heated to 65°C	0
Heated to 60°C	4
Heated to 55°C	3

Table 4

Effect of filtering process on residual activities of antiinflammatory factors

Sample		Detected Concentrations (mg/l)	Activity Levels (mg/g)	Residual Activities (Average) (%)	
Raw Sample	0.8%	288.3	36.0	100.0	100.0
	1.2%	410.7	34.2	100.0	
Heated Sample	0.8%	293.0	36.6	101.6	101.5
	1.2%	416.2	34.7	101.3	

5

Table 5

Effect of filtration process on number of E. coli colonies

10

Sample	Nutrient Agar	MacConkey's Agar
Unfiltered	708	394
Filtered	0	0

02 OCT 2002
PCT/PTO

What is claimed is:

1. A method for sterilizing an immune substance containing anti-inflammatory factors, characterized by heating a solution of said immune substance containing antiinflammatory factors at a temperature of from 55 to 70° C for 30 to 60 minutes.
- 5 2. A method for sterilizing an immune substance containing anti-inflammatory factors, characterized by filtering the solution of said immune substance containing antiinflammatory factors by a filter with pore size of from 0.1 to 0.22 microns.
- 10 3. A substance containing said immune substance containing antiinflammatory factors, sterilized and/or pasteurized by the method according to either Claim 1 or 2.
4. Ice cream, yogurt, liquid drinks, jam, butter, cheese, cream, sherbet, mayonnaise, dressing, or other foods or drinks with added thereto the immune substance containing
15 antiinflammatory factors sterilized and/or pasteurized by the method according to either Claim 1 or 2.

ABSTRACT

The present invention provides methods for pasteurizing and/or sterilizing an
5 immune substance containing antiinflammatory factors without damaging their
antiinflammation and immunopotential effects, and the utilization of thus pasteurized
and/or sterilized substances as health foods.

Specifically, methods for pasteurizing and/or sterilizing an immune substance
10 containing antiinflammatory factors are provided by heating the solution of the immune
substance containing antiinflammatory factors at a temperature of from 55 to 70°C for 30
to 60 minutes, or by filtering the solution through a filter having pore size of from 0.1 to 0.22
microns. Ice cream, yogurt, liquid drinks, jam, butter, cheese, cream, sherbet, mayonnaise,
dressing, and other foods or drinks with the immune substance containing antiinflammatory
15 factors, which are pasteurized and sterilized by the present methods, added thereto are also
provided.

特許協力条約に基づいて公開された国際

(19) 世界知的所有権機関
国際事務局(43) 国際公開日
2001年3月1日 (01.03.2001)

PCT

(10) 国際公開番号
WO 01/13928 A1

- (51) 国際特許分類: A61K 35/20, A61P 29/00, A23L 1/30
- (21) 国際出願番号: PCT/JP00/05642
- (22) 国際出願日: 2000年8月23日 (23.08.2000)
- (25) 国際出願の言語: 日本語
- (26) 国際公開の言語: 日本語
- (30) 優先権データ:
特願平11/236276 1999年8月24日 (24.08.1999) JP
- (71) 出願人 (米国を除く全ての指定国について): 株式会社 オルトコーポレーション (ORTHO CORPORATION CO., LTD.) [JP/JP]; 〒150-0002 東京都渋谷区渋谷1-3-15 Tokyo (JP). 野本亀久雄 (NOMOTO, Kikuo)

[JP/JP]; 〒813-0012 福岡県福岡市東区香椎駅東3-25-52 Fukuoka (JP).

(72) 発明者; および
(75) 発明者/出願人 (米国についてのみ): 鎌田直幸 (KAMATA, Naoyuki) [JP/JP]; 〒213-0011 神奈川県川崎市高津区久本2-7-3 Kanagawa (JP).

(74) 代理人: 名越秀夫, 外 (NAKOSHI, Hideo et al.); 〒150-0001 東京都渋谷区神宮前3丁目7-5 青山MSビル7階 生田・名越法律特許事務所 Tokyo (JP).

(81) 指定国 (国内): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU,

[続葉有]

(54) Title: METHODS OF PASTEURIZING IMMUNE SUBSTANCE CONTAINING ANTIINFLAMMATORY FACTOR AND UTILIZATION THEREOF

(54) 発明の名称: 抗炎症因子含有免疫性物質の殺菌方法及びその利用

(57) Abstract: Methods of pasteurizing/sterilizing immune substances containing antiinflammatory factors without damaging the antiinflammatory and immunopotentiating effects of the substances and utilization of the thus pasteurized/sterilized substances as health foods. Namely, methods of pasteurizing/sterilizing immune substances containing antiinflammatory factors which comprises heating a solution of the immune substances at a temperature of 55 to 70°C for 30 to 60 minutes, or filtering through a filter of 0.1 to 0.22 μ m in pore size. Foods and drinks such as ice cream, yogurt, liquid drink, jam, butter, cheese, cream, sherbet, mayonnaise, dressing and the like containing the immune substances containing antiinflammatory factors which have been pasteurized/sterilized by the above methods.

(57) 要約:

本発明は、抗炎症因子含有免疫性物質の抗炎症効果、免疫強化効果を損なうことなく、該物質の殺菌、滅菌を行う方法及びこのようにして殺菌、滅菌した該物質の健康食品としての利用を提供するものである。

即ち、抗炎症因子含有免疫性物質の溶液を55～70℃の温度で30～60分間熱処理する、ポアサイズ0.1～0.22 μ mのフィルターで濾過する抗炎症因子含有免疫性物質の殺菌、滅菌方法である。また、これらの方法で殺菌、滅菌した抗炎症因子含有免疫性物質を添加した、アイスクリーム、ヨーグルト、液体ドリンク、ジャム、バター、チーズ、クリーム、氷菓、マヨネーズ、ドレッシング、その他の食品、飲料類である。

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Declaration and Power of Attorney for Patent Application**特許出願宣言書及び委任状****Japanese Language Declaration****日本語宣言書**

私は、以下に記名された発明者として、ここに下記の通り宣言する：

As a below named inventor, I hereby declare that:

私の住所、郵便の宛先そして国籍は、私の氏名の後に記載された通りである。

My residence, post office address and citizenship are as stated next to my name.

下記の名称の発明について、特許請求範囲に記載され、且つ特許が求められている発明主題に関して、私は、最初、最先且つ唯一の発明者である（唯一の氏名が記載されている場合）か、或いは最初、最先且つ共同発明者である（複数の氏名が記載されている場合）と信じている。

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

**Methods of Pasteurizing/Sterilizing Immune
- Substance Containing Antiinflammatory Factor
and Utilization Thereof**

上記発明の明細書はここに添付されているが、下記の欄がチェックされている場合は、この限りでない：

the specification of which is attached hereto unless the following box is checked:

☐ _____ の日に出版され、
この出版の米国出版番号またはPCT国際出版番号は、
_____ であり、且つ
_____ の日に補正された出版（該当する場合）☒ was filed on 23-Aug-2000
as United States Application Number or
PCT International Application Number
PCT/JP00/05642 and was amended on
23-Aug-2000 (if applicable).

私は、上記の補正書によって補正された、特許請求範囲を含む上記明細書を検討し、且つ内容を理解していることをここに表明する。

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

私は、連邦規則法典第37編規則1.56に定義されている、特許性について重要な情報を開示する義務があることを認める。

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the need of the individual case. Any comments on the amount of time you are required to complete this form should be sent to Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner of Patents and Trademarks, Washington, DC 20231.

Japanese Language Declaration

(日本語宣言書)

私は、ここに、以下に記載した外国での特許出願または発明者証の出願、或いは米国以外の少なくとも一国を指定している米国法典第35編第365条(a)によるPCT国際出願について、同第119条(a)-(d)項又は第365条(b)項に基づいて優先権を主張するとともに、優先権を主張する本出願の出願日より前の出願日を有する外国での特許出願または発明者証の出願、或いはPCT国際出願については、いかなる出願も、下記の枠内をチェックすることにより示した。

I hereby claim foreign priority under Title 35, United States Code, Section 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International application which designated at least one country other than the United States listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application for which priority is claimed.

Prior Foreign Application(s)
外国での先行出願

Priority Not Claimed
優先権主張なし

(Number)
(番号)

(Country)
(国名)

(Day/Month/Year Filed)
(出願日/月/年)



(Number)
(番号)

(Country)
(国名)

(Day/Month/Year Filed)
(出願日/月/年)



私は、ここに、下記のいかなる米国仮特許出願についても、その米国法典第35編第119条(e)項の利益を主張する。

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

(Application No.)
(出願番号)

(Filing Date)
(出願日)

(Application No.)
(出願番号)

(Filing Date)
(出願日)

私は、ここに、下記のいかなる米国出願についても、その米国法典第35編第120条に基づく利益を主張し、又米国を指定するいかなるPCT国際出願についても、その同第365条(c)に基づく利益を主張する。また、本出願の各特許請求の範囲の主題が、米国法典第35編第112条第1段に規定された態様で、先行する米国出願又はPCT国際出願に開示されていない場合においては、その先行出願の出願日と本国内出願日またはPCT国際出願日との間の期間中に入手された情報で、連邦規則法典第37編規則1.56に定義された特許性に関わる重要な情報について開示義務があることを承認する。

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of application.

PCT/JP00/05642

23-Aug-2000

Pending

(Application No.)
(出願番号)

(Filing Date)
(出願日)

(Status: Patented, Pending, Abandoned)
(現況: 特許許可、係属中、放棄)

(Application No.)
(出願番号)

(Filing Date)
(出願日)

(Status: Patented, Pending, Abandoned)
(現況: 特許許可、係属中、放棄)

私は、ここに表明された私自身の知識に係わる陳述が真実であり、且つ情報と信ずることに基づく陳述が、真実であると信じられることを宣言し、さらに、故意に虚偽の陳述などを行った場合は、米国法典第18編第1001条に基づき、罰金または拘禁、若しくはその両方により処罰され、またそのような故意による虚偽の陳述は、本出願またはそれに対して発行されるいかなる特許も、その有効性に問題が生ずることを理解した上で陳述が行われたことを、ここに宣言する。

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Japanese Language Declaration
(日本語宣言書)

委任状： 私は本出願を審査する手続を行い、且つ米国特許商標庁との全ての業務を遂行するために、記名された発明者として、下記の弁護士及び／または弁理士を任命する。（氏名及び登録番号を記載すること）

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (list name and registration number)

書類送付先

Send Correspondence to:

Customer No. 7617

直通電話連絡先：（氏名及び電話番号）

Direct Telephone Calls to: (name and telephone number)

Charles E. Bruzga, (212) 269-1114

唯一または第一発明者氏名

Full name of sole or first inventor

KAMATA, Naoyuki

發明者の署名

目付

Inventor's signature

Date _____

Kamata Tōryūki

2002, 2.25

住所

Residence

Kanagawa, Japan

国籍

Citizenship

Japan

郵便の宛先

Post Office Address

2-7-3, Hisamoto, Takatsu-ku, Kawasaki-shi

Kanagawa 213-0011 Japan

第二共同発明者がいる場合、その氏名

Full name of second joint inventor, if any

第二共同發明者の署名

日付

Second inventor's signature

Date _____

住所

Residence

國籍

Citizenship


郵便の宛先

Post Office Address

(第三以下の共同発明者についても同様に記載し、署名を
すること)

(Supply similar information and signature for third and subsequent joint inventors.)

United States Patent & Trademark Office
Office of Initial Patent Examination -- Scanning Division



Application deficiencies found during scanning:

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ Page(s) _____ of _____ were not
present
for scanning. (Document title)

☒ *Scanned copy is best available. There are two document
on page 25.*